

CAMPAIGN For TOBACCO-FREE Kids®

KEY STATE-SPECIFIC TOBACCO-RELATED DATA & RANKINGS

| State | Adult Smoking Rate | Adult Smoking Rank (1=low) | Pregnant Smoking Rate | Pregnant Smoking Rank (1 = low) | Youth Smoking Rate* | New Youth Smokers Per Year | Annual Adult Smoking Deaths | Kids Now Alive Who Will Become Smokers | Kids Now Alive Who Will Die From Smoking | Smoking Caused Health Costs 2002 (millions) | Cigarette Tax† (¢/ pack) | Cig. Tax Rank (1 = high) | State Tobacco Control Spending (millions) | Tobacco Control Percent of CDC Minimum | CDC Spending Rank (1 = high) |
|-------------------|--------------------|----------------------------|-----------------------|---------------------------------|---------------------|----------------------------|-----------------------------|--|--|---|--------------------------|--------------------------|---|--|------------------------------|
| All States | 20.9% | /// | 11.4% | /// | 21.7% | 545,000 | 400,000‡ | 20+ mill. | 6+ million | \$89+ bill. | \$0.917 | /// | \$551.0 | 34.4% | /// |
| Alabama | 24.9% | 43rd | 12.1% | 22nd | 24.7% | 8,800 | 7,300 | 330,100 | 105,600 | \$1.38 bill. | \$0.425 | 39th | \$0.33 | 1.2% | 44 |
| Alaska | 24.9% | 43rd | 17.9% | 39th | 19.2% | 1,800 | 460 | 67,900 | 21,700 | \$155.7 | \$1.60 | 7th | \$5.7 | 70.5% | 12 |
| Arizona | 18.6% | 7th | 6.3% | 2nd | 20.9% | 11,000 | 6,300 | 412,100 | 131,900 | \$1.18 bill. | \$1.18 | 16th | \$23.1 | 83.1% | 6 |
| Arkansas | 25.7% | 46th | 18.0% | 41st | 29.3% | 6,000 | 4,900 | 226,900 | 72,600 | \$747.9 | \$0.59 | 32nd | \$17.5 | 97.7% | 5 |
| California | 14.8% | 2nd | NA | NA | 13.2% | 47,900 | 37,800 | 1,795,000 | 574,400 | \$8.42 bill. | \$0.87 | 23rd | \$79.7 | 48.3% | 16 |
| Colorado | 20.1% | 16th | 8.5% | 12th | 25.3% | 8,300 | 4,200 | 311,700 | 99,700 | \$1.21 bill. | \$0.84 | 24th | \$27.0 | 110.0% | 2 |
| Connecticut | 18.1% | 5th | 7.0% | 4th | 22.0% | 6,000 | 4,800 | 227,200 | 72,700 | \$1.50 bill. | \$1.51 | 8th | \$0.04 | 0.2% | 45 |
| Delaware | 24.5% | 40th | 12.9% | 27th | 23.5% | 1,600 | 1,100 | 59,900 | 19,100 | \$261.9 | \$0.55 | 35th | \$9.2 | 106.6% | 3 |
| DC | 21.0% | 27th | 3.9% | 1st | 13.2% | 600 | 720 | 22,400 | 7,100 | \$224.1 | \$1.00 | 19th | \$0.0 | 0.0% | 51 |
| Florida | 20.4% | 21st | 8.6% | 14th | 15.7% | 24,700 | 28,600 | 927,800 | 296,900 | \$5.82 bill. | \$0.339 | 44th | \$1.0 | 1.3% | 43 |
| Georgia | 20.1% | 16th | 7.9% | 8th | 20.9% | 15,600 | 10,200 | 585,900 | 187,500 | \$2.07 bill. | \$0.37 | 41st | \$3.1 | 7.3% | 39 |
| Hawaii | 17.3% | 3rd | 7.1% | 6th | 24.5% | 2,200 | 1,100 | 85,700 | 27,400 | \$309.1 | \$1.40 | 11th | \$5.8 | 53.8% | 14 |
| Idaho | 17.5% | 4th | 10.5% | 19th | 14.0% | 2,500 | 1,400 | 94,100 | 30,100 | \$293.7 | \$0.57 | 33rd | \$0.54 | 4.9% | 42 |
| Illinois | 22.2% | 33rd | 10.1% | 17th | 29.2% | 24,900 | 16,900 | 934,000 | 298,800 | \$3.78 bill. | \$0.98 | 21st | \$11.0 | 16.9% | 34 |
| Indiana | 25.0% | 45th | 19.1% | 44th | 21.3% | 15,200 | 9,700 | 571,400 | 182,800 | \$1.91 bill. | \$0.555 | 34th | \$10.8 | 31.1% | 27 |
| Iowa | 20.8% | 25th | 16.5% | 35th | 20.0% | 5,500 | 4,400 | 206,200 | 65,900 | \$936.7 | \$0.36 | 42nd | \$5.6 | 28.9% | 30 |
| Kansas | 19.8% | 11th | 12.7% | 26th | 21.1% | 5,000 | 3,800 | 188,000 | 60,100 | \$854.1 | \$0.79 | 27th | \$1.0 | 5.5% | 41 |
| Kentucky | 27.6% | 51st | 24.4% | 49th | 27.9% | 9,100 | 7,600 | 342,900 | 109,700 | \$1.38 bill. | \$0.30 | 45th | \$2.7 | 10.8% | 37 |
| Louisiana | 23.6% | 38th | 10.0% | 15th | 25.0% | 9,000 | 6,400 | 337,400 | 107,900 | \$1.35 bill. | \$0.36 | 42nd | \$8.0 | 29.5% | 29 |
| Maine | 21.0% | 27th | 17.1% | 36th | 16.2% | 2,400 | 2,200 | 91,200 | 29,200 | \$554.4 | \$2.00 | 4th | \$14.2 | 126.9% | 1 |
| Maryland | 19.7% | 10th | 8.1% | 9th | 17.6% | 9,300 | 6,800 | 351,000 | 112,300 | \$1.80 bill. | \$1.00 | 19th | \$9.2 | 30.4% | 28 |

* Youth smoking rates from most recent years available; in bold type from the Youth Risk Behavioral Surveillance (YRBS); in regular type from Youth Tobacco Surveillance (YTS); and in italics from state-specific surveys; and. OR data are for 11th grade only. WA data are for 10th grade only. Because of different surveys and years, state rankings based on youth smoking cannot be done.

† States that have not increased their tax since January 1, 2002 are in bold.

‡ Adding in nationwide deaths from secondhand smoke (more than 38,000) and deaths to infants from mothers smoking during pregnancy (more than 1,000) brings the nationwide death total to 440,000 per year. CDC, www.cdc.gov/mmwr/preview/mmwrhtml/mm5114a2.htm.

Key State-Specific Tobacco-Related Data & Rankings / 2

| State | Adult Smoking Rate | Adult Smoking Rank (1=low) | Pregnant Smoking Rate | Pregnant Smoking Rank (1 = low) | Youth Smoking Rate* | New Youth Smokers Per Year | Annual Adult Smoking Deaths | Kids Now Alive Who Will Become Smokers | Kids Now Alive Who Will Die From Smoking | Smoking Caused Health Costs 2002 (millions) | Cigarette Tax† (¢/ pack) | Cig. Tax Rank (1 = high) | State Tobacco Control Spending (millions) | Tobacco Control Percent of CDC Minimum | CDC Percent Spending Rank (1 = high) |
|----------------|--------------------|----------------------------|-----------------------|---------------------------------|---------------------|----------------------------|-----------------------------|--|--|---|--------------------------|--------------------------|---|--|--------------------------------------|
| Massachusetts | 18.5% | 6th | 8.1% | 9th | 20.9% | 9,500 | 8,900 | 356,700 | 114,100 | \$3.26 bill. | \$1.51 | 8th | \$4.3 | 12.1% | 36 |
| Michigan | 23.4% | 37th | 15.1% | 33rd | 22.6% | 21,600 | 14,500 | 811,100 | 259,500 | \$3.13 bill. | \$2.00 | 4th | \$0.0 | 0.0% | 51 |
| Minnesota | 20.7% | 24th | 10.5% | 19th | 28.9% | 10,200 | 5,500 | 385,400 | 123,300 | \$1.90 bill. | \$1.23 | 14th | \$22.1 | 77.2% | 9 |
| Mississippi | 24.6% | 42nd | 12.1% | 22nd | 22.4% | 6,800 | 4,700 | 255,300 | 81,600 | \$661.8 | \$0.18 | 49th | \$20.0 | 106.4% | 4 |
| Missouri | 24.1% | 39th | 18.2% | 43rd | 23.7% | 12,300 | 9,700 | 461,700 | 147,700 | \$1.96 bill. | \$0.17 | 50th | \$0.0 | 0.0% | 51 |
| Montana | 20.4% | 21st | 19.1% | 44th | 20.0% | 1,500 | 1,400 | 56,300 | 18,000 | \$254.8 | \$1.70 | 6th | \$6.8 | 72.6% | 11 |
| Nebraska | 20.3% | 18th | 14.1% | 31st | 24.1% | 3,200 | 2,300 | 119,900 | 38,300 | \$494.3 | \$0.64 | 30th | \$3.0 | 22.5% | 32 |
| Nevada | 23.2% | 35th | 10.0% | 15th | 19.6% | 4,800 | 3,100 | 181,900 | 58,200 | \$520.2 | \$0.80 | 25th | \$4.2 | 31.2% | 26 |
| N. Hampshire | 21.8% | 31st | 14.0% | 30th | 19.1% | 2,700 | 1,700 | 103,500 | 33,100 | \$519.1 | \$0.80 | 25th | \$0.0 | 0.0% | 51 |
| New Jersey | 18.9% | 8th | 8.5% | 12th | 17.3% | 14,600 | 11,200 | 548,600 | 175,500 | \$2.92 bill. | \$2.40 | 2nd | \$11.5 | 25.5% | 31 |
| New Mexico | 20.3% | 18th | 10.1% | 17th | 36.2% | 3,600 | 2,000 | 135,500 | 43,300 | \$424.7 | \$0.91 | 22nd | \$6.0 | 43.8% | 19 |
| New York | 20.0% | 13th | 8.1% | 9th | 18.5% | 35,300 | 25,500 | 1,325,300 | 424,100 | \$7.52 bill. | \$1.50 | 10th | \$43.4 | 45.3% | 18 |
| North Carolina | 23.2% | 35th | 13.2% | 29th | 24.8% | 17,300 | 11,900 | 648,500 | 207,500 | \$2.26 bill. | \$0.30 | 45th | \$15.0 | 35.2% | 23 |
| North Dakota | 19.9% | 12th | 17.4% | 38th | 22.1% | 1,000 | 870 | 39,700 | 12,700 | \$227.7 | \$0.44 | 38th | \$3.1 | 38.0% | 22 |
| Ohio | 25.9% | 47th | 17.9% | 39th | 22.2% | 25,800 | 18,600 | 968,200 | 309,800 | \$4.02 bill. | \$1.25 | 13th | \$47.2 | 76.4% | 10 |
| Oklahoma | 26.1% | 48th | 18.1% | 42nd | 26.5% | 7,500 | 5,800 | 283,900 | 90,800 | \$1.06 bill. | \$1.03 | 18th | \$8.9 | 40.8% | 21 |
| Oregon | 20.0% | 13th | 12.4% | 25th | 18.7% | 6,700 | 4,900 | 253,100 | 81,000 | \$1.02 bill. | \$1.18 | 16th | \$3.5 | 16.3% | 35 |
| Pennsylvania | 22.7% | 34th | 15.6% | 34th | 23.1% | 25,000 | 20,000 | 936,900 | 299,800 | \$4.78 bill. | \$1.35 | 12th | \$32.9 | 50.2% | 15 |
| Rhode Island | 21.3% | 29th | 12.1% | 22nd | 19.3% | 1,900 | 1,700 | 71,300 | 22,800 | \$466.0 | \$2.46 | 1st | \$2.1 | 21.2% | 33 |
| South Carolina | 24.5% | 40th | 13.0% | 28th | 24.4% | 8,100 | 5,900 | 306,600 | 98,100 | \$1.00 bill. | \$0.07 | 51st | \$0.0 | 0.0% | 51 |
| South Dakota | 20.3% | 18th | 19.3% | 46th | 30.0% | 1,600 | 1,000 | 60,400 | 19,300 | \$252.5 | \$0.53 | 37th | \$0.71 | 8.2% | 38 |
| Tennessee | 26.1% | 48th | 17.1% | 36th | 27.6% | 10,700 | 9,400 | 401,000 | 128,300 | \$1.99 bill. | \$0.20 | 48th | \$0.0 | 0.0% | 51 |
| Texas | 20.6% | 23rd | 6.3% | 2nd | 24.3% | 40,400 | 24,100 | 1,514,500 | 484,600 | \$5.36 bill. | \$0.41 | 40th | \$7.0 | 6.8% | 40 |
| Utah | 10.5% | 1st | 7.0% | 4th | 7.3% | 2,500 | 1,100 | 95,400 | 30,500 | \$322.1 | \$0.695 | 29th | \$7.2 | 47.3% | 17 |
| Vermont | 20.0% | 13th | 20.1% | 47th | 22.1% | 1,100 | 850 | 43,900 | 14,000 | \$214.7 | \$1.19 | 15th | \$4.9 | 61.9% | 13 |
| Virginia | 20.9% | 26th | 7.5% | 7th | 21.0% | 13,700 | 9,200 | 514,200 | 164,500 | \$1.92 bill. | \$0.300 | 45th | \$12.8 | 32.9% | 24 |
| Washington | 19.2% | 9th | 12.0% | 21st | 13.0% | 11,700 | 7,600 | 439,000 | 140,400 | \$1.80 bill. | \$2.025 | 3rd | \$27.2 | 81.6% | 7 |
| West Virginia | 26.9% | 50th | 26.2% | 50th | 28.5% | 4,000 | 3,900 | 153,100 | 49,000 | \$635.8 | \$0.55 | 35th | \$5.9 | 41.7% | 20 |
| Wisconsin | 22.0% | 32nd | 14.9% | 32nd | 21.0% | 12,000 | 7,300 | 449,400 | 143,800 | \$1.86 bill. | \$0.77 | 28th | \$10.0 | 32.1% | 25 |
| Wyoming | 21.7% | 30th | 20.7% | 48th | 26.0% | 900 | 680 | 35,000 | 11,200 | \$125.0 | \$0.60 | 31st | \$5.9 | 79.9% | 8 |

For More State-Specific Data, see the Campaign for Tobacco-Free Kids Website at www.tobaccofreekids.org/reports/settlements and www.tobaccofreekids.org/research/factsheets.

Sources for Table

Adult Smoking Rates. U.S. Centers for Disease Control and Prevention (CDC), Behavioral Risk Factor Surveillance System (BRFSS), 2004, "State-Specific Prevalence of Current Smoking and Quitting Among Adults - United States, 2004," *Morbidity and Mortality Weekly Report (MMWR)*, November 11, 2005 54(44) <http://www.cdc.gov/mmwr/PDF/wk/mm5444.pdf>; Nationwide rate from National Health Interview Survey (NHIS), 2004, "Cigarette Smoking Among Adults – United States, 2004," *Morbidity and Mortality Weekly Report (MMWR)*, November 11, 2005 54(44) <http://www.cdc.gov/mmwr/PDF/wk/mm5444.pdf>; Hawaii rate is from the 2003 BRFSS.

Pregnancy and Smoking Data. State-specific rates for smoking among pregnant women: "Smoking During Pregnancy – United States, 1990-2002, *Morbidity and Mortality Weekly Report (MMWR)* 53(39): 911-15 (October 8, 2004) <http://www.cdc.gov/mmwr/PDF/wk/mm5339.pdf>.

Youth Smoking Rates. CDC, Youth Tobacco Surveillance (YTS) Survey and Youth Risk Behavioral Surveillance (YRBS) survey. State-specific tobacco use surveys. Nationwide rate from the 2004 National Youth Tobacco Survey (YTS).

New Regular Daily Smokers Each Year. Estimate based on U.S. Dept of Health & Human Services (HHS), "Results from the 2004 National Survey on Drug Use and Health", <http://www.oas.samhsa.gov/NSDUH.htm#NSDUHinfo>. State-specific numbers based on each state's share of the national number.

Smoking-Caused Deaths. Centers for Disease Control and Prevention's STATE System (average annual deaths from 1997-2001) <http://apps.nccd.cdc.gov/StateSystem/systemIndex.aspx>. CDC, "Annual Smoking-Attributable Mortality, Years of Potential Life Lost, and Economic Costs -- United States 1995-1999," *MMWR*, April 11, 2002, <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5114a2.htm>. See, also, U.S. General Accounting Office (GAO), "CDC's April 2002 Report on Smoking: Estimates of Selected Health Consequences of Cigarette Smoking Were Reasonable," letter to U.S. Rep. Richard Burr, July 16, 2003, <http://www.gao.gov/new.items/d03942r.pdf>. **Projected youth smoking deaths.** CDC, *State Highlights 2004*, <http://www.cdc.gov/tobacco/datahighlights/index.htm>. See also, CDC, "Projected Smoking-Related Deaths Among Youth -- United States," *MMWR* 45(44): 971-974, November 11, 1996, www.cdc.gov/mmwr/mmwr_wk.html. [prior nationwide estimate of 5.2 million future youth deaths from smoking].

Kids Who Will Become Smokers. CDC, *State Highlights 2004: Sustaining State Programs for Tobacco Control, 2004*, <http://www.cdc.gov/tobacco/datahighlights/index.htm>].

Smoking-Caused Healthcare Costs (and Productivity losses). CDC, *Data Highlights 2004*, <http://www.cdc.gov/tobacco/datahighlights/index.htm> [and underlying CDC data and estimates]. CDC, "Annual Smoking-Attributable Mortality, Years of Potential Life Lost, and Economic Costs -- United States 1995-1999," *MMWR*, April 11, 2002, www.cdc.gov/mmwr/preview/mmwrhtml/mm5114a2.htm. See, also, GAO, "CDC's April 2002 Report on Smoking: Estimates of Selected Health Consequences of Cigarette Smoking Were Reasonable," July 16, 2003, <http://www.gao.gov/new.items/d03942r.pdf>; Miller, L., et al., "State Estimates of Total Medical Expenditures Attributable to Cigarette Smoking, 1993," *Public Health Reports* 113: 447-58, Sept./Oct. 1998; Zhang, X., et al., "Cost of Smoking to the Medicare Program, 1993," *Health Care Financing Review* 20(4): 1-19, Summer 1999 [nationwide smoking-caused health costs = \$89+ billion per year]. For other non-healthcare smoking-caused costs, see, e.g., U.S. Department of the Treasury, *The Economic Costs of Smoking in the U.S. and the Benefits of Comprehensive Tobacco Legislation*, 1998; Chaloupka, F.J. & K.E. Warner, "The Economics of Smoking," in Culyer, A. & J. Newhouse (eds), *The Handbook of Health Economics*, 2000; Leisticow, B.N., et al., "Estimates of Smoking-Attributable Deaths at Ages 15-54, Motherless or Fatherless Youths, and Resulting Social Security Costs in the United States in 1994," *Preventive Medicine* 30: 353-60, 2000.

State Cigarette Tax Rates. Orzechowski & Walker, *Tax Burden on Tobacco: Historical Compilation 2004* (2005) [annual report funded by the three major cigarette companies with updates from media reports, state revenue offices.

State Spending to Prevent and Reduce Tobacco Use. Campaign for Tobacco-Free Kids, et al., *A Broken Promise To Our Children: The 1998 State Tobacco Settlement Seven Years Later* (November 30, 2005), <http://tobaccofreekids.org/reports/settlements>. CDC recommendations for the minimum amounts states should spend to prevent and reduce tobacco use from CDC, *Best Practices for Comprehensive Tobacco Control*, August 1999, www.cdc.gov/tobacco/bestprac.htm.